

TRÅDLÖS WIFI HD KAMERA

Artikelnr. 27-WF697

A1. Model No.: A2. Prod		uct Name: B1. Product Keywords:				
WF131697CAI	HD Wi-Fi Camera with Built-in Battery and Magnet		1) Waterproof: IP69K approved 2) Long press the power button to turn on/off 3) Battery capacity indicator; 4) Overcharging/Overdischarging protection 5) Short-circuit protection; 6) Overheat and low temperature protection; 7) Strong magnetic base 8) Load detection, when over-voltage detected; 9) Strong magnetic base		+ Adapter	
B2. Key Specifications:						
Battery Capacity:		3.6V/6700mAl	0mAh			
Charging Voltage:		DC 5~12V		TIPS		
Charging Time:		5V/8H,12V/3.5	5V/8H,12V/3.5H		1. To protect the battery from damage,	
Charging Current:		5V/1.5A(MAX),12V/1.5A(MAX)		please charge it to 75% of capacity before storing it for a long period of time, and charge it again to 75% within 150 days.		
Discharging Time:		12H (Daytime)				
Charging Temperature:		-10 ~ 45℃				
Discharging Temperature:		-20 ~ 60°C		within 130 days.		
Storage Temperature:		-20 ~ 60°C		After being stored for long time, the initial charging current might be relatively low, but will become normal after a while.		
Waterproof Rating:		IP69K				
Dimension:		116*80*66 (mm)				
Weight:		650 g	alter a while.			
Image Device:		1/3" CMOS IMX224				
FPS:		2~30				
Effective Pixels:		1280 (H) x 720 (V)				
Pixel size:		3.75 µm x 3.75 µm				
Scanning System:		Progressive Scanning				
Sync. System:		Internal				
Gamma Consumption:		0.45				
AGC:		Auto				
S/N Ratio:		Better than 46.5dB				
White Balance:		Auto				
BLC:		Auto				
Operation Frequency:		2.4GHz-2.4835GHz ; 5.12GHz-5.825GHz				
Sensitivity @PER:		-86dBm@8%PER				
Working Mode:		Infrastructure; Ad-Hoc				
Spread Spectrum:		IEEE 802.11a/b/g/n/ac				
RF Power:		18dBm@11b,14dBm@11g ,13dBm@11a,13dBm@11n,11dBm@11ac				
Delay: 20		200ms				
RF Bit Rate: 11Mbps		11Mbps				
Minimum Illumination: 01		0Lux				
Transmission Distance: 50m						
Night Vision Distance:		8 ~10m				
Audio:		Yes				
Viewing Angle:		110°				
IR-Cut:		Yes				
C1. Accessories:		1- Antenna, 1- USB, 1-ADAPTER (OPTIONAL)				
D1. Packing Weight Of Unit Product: 0,65 kg. Weight Of Export Carton: 3,4 kg. Dimension Of Giftbox: 12.8 x 15.4 x 7.7 cm. Dimension Of Export Carton: 27.6 x 17.2 x 18.4 cm.						